open ECA

open and Extensible Control & Analytics platform for synchrophasor data

DOE FOA 970

DE-OE0000778

openECA Project Update

NASPI

October 20, 2016

J. Ritchie Carroll

Project Partners

- Dominion Virginia Power
- Oklahoma Gas and Electric
- Southwest Power Pool
- Northwestern Energy
- Bonneville Power Administration
- Virginia Tech
- T&D Consulting Engineers
- OSIsoft
- Grid Protection Alliance
- DOE – Office of Electricity

openECA Value – Big Picture

- Focus on creation of an on-going process for creating and production deployment of new analytics
- Much easier analytics development
- 11 Analytics provided “out of the box”

Architectural Elements

- Data Conditioning / Alarming
- Data Distribution Service
- Common Analytics Interface (CAI)
- Electric System Model
- Shared Platform Services
- Analytics



Project Provided Analytics

- Real-Time Analytics
  - Oscillation Detection Monitor (ODM)
  - Oscillation Mode Meter (OMM)
  - Topology Estimation
- Control
  - Regional Volt-Ampere-Reactive (VAR) Control
  - Local VAR Control
  - PMU Synchroscope
- Off-Line Analytics
  - Dynamic PMU Transducer Calibration (Automated, Periodic Use Case)
  - Line Parameter Estimation (Ad-Hoc Use Case)
  - Synchronous Machine Parameter Estimation (Research Use Case)
  - Acceleration Trend Relay (ATR) Improvement (Research Use Case)

Plus – within the platform
Linear State Estimation

Development Approach

- **Build upon existing open source solutions -** Leverage GPA's production-grade open-source code base to create a open source application suite under a permissive license
- **Develop a standard interface -** Provide a "Common Analytics Interface" (CAI) where "data structures" are made available for subscription
- **Detect Bad Data Early -** Create a multi-tier bad data detection and correction system with alarming services
- **Create "3rd Generation" Data Exchange Methods -** Provide secure phasor data exchange using a next-generation version of the Gateway Exchange Protocol
- **Include Visualization Tools -** Develop a visualization tool optimized for testing and verification of analytic results
- **Test and Refine -** Test the CAI with 9 provided analytics at five utility partner locations – and seek more demo locations
- **Create an Analytics Storefront** - xx

Project Status

- Design document completed.
- openECA API (Common Analytics Interface) Test Harness in use by analytics developers
- Alpha version of platform and analytics under development – public posting scheduled for Jan 2017.
- Stay tuned – Beta version scheduled for delivery by NASPI Spring Meeting (March 2017)

Status – Visualization Tools

DOE Acknowledgement & Disclaimer

Acknowledgement: This presentation is based upon work supported by the Department of Energy under award number DOE-OE-0000778.

EXTRA SLIDES

openECA Value to the Industry

- Lowers cost of addition of new production analytic tools
- Simplified end-to-end configuration and change management
- Improved availability of phasor data with greater visibility of phasor data quality
- Robust scalable solution to support phasor data infrastructure of any size
- Complements current phasor data architecture and supports integration with other data sources such as SCADA

openECA Value to Research Community

- Allows research community to focus on development of new techniques and tools and not on learning how to build information interfaces
- Removes barriers to installation of newly developed research tools in production software environments

openECA Simplifies Development

Today's Approach

- "Signal" paradigm
- Use C37.118
  - Socket management
  - Protocol parsing
  - Exception handling
- Local data buffering to support analytic cycle times
- Local configuration management

Using openECA

- Both standard and custom data objects
- An API that provides
  - Hi-performance pub/sub data access using standard messaging (e.g., Zero MQ)
  - Access to meta data services
  - Local data buffering options
- Starter templates provided
  - Matlab
  - F#
  - C#